

Figure 1




Figure 2

BEST AVAILABLE COPY




Figure 3




Figure 8




Figure 4




Figure 5




Figure 6




Figure 7




Figure 9




Figure 10




Figure 11





Figure 12



Toshiba Bluetooth Printing System - Block Diagram

Fig. 13




Fig. 14




Fig. 15




Fig. 16




Fig. 17

HP LaserJet 5000 Series PCL 5e Properties General Sharing Poits Advanced Color Management Security Nitroms Configure	<u>회</u>
HP.LaserJet 5000 Series PCL/Se	
Print to the following port(s): Documents will print to the first free checked part.	
#Port Description Printer □ COM1: Serial Port □ COM2: Serial Port □ COM3: Serial Port □ COM4: Serial Port	A CONTRACTOR OF THE PROPERTY O
☐ FILE: Print to File ☑ TBP1 Toshiba Bluetooth P HP LaserJet 5000 Series PC ☐ C:\W1 Local Port CAPTURE FAX BVRP ☑	
Add Port.: Delete Port See Configure Port.: Configure Port.:	
ZOK Cancel Дрру Неір	

-Fig. 18

2	rinter Ports 32×	Ì
100	Available port types:	**
	Desktop Port Monitor HP 1100 Language Monitor	
	Lexmark Network Port	
	Local Port Standard TCP/IP Port	
	Toshiba Bluetooth Monitor	3000
		XX.00
	New Port Type New Port Cancel	2000 E

Fig. 19

Add Toshiba Bluetooth Port	n 🗵
1 m	TO STATE OF THE ST
Poit Name at TBP1:	Cancel
Destination printer:	
MFP down the hall Color laser across the way	

Fig 20

Config	jure Toshiba Bluetooth Port	
	Printer in the room MFP down the hall Color laser across the way	Cancel

Fig 21




Fig 22




Fig 23




Fig. 24




Fig. 25




Fig. 26




Fig 27

This Page is Inserted by IFW Indexing and Scanning Operations and is not part of the Official Record

BEST AVAILABLE IMAGES

Defective images within this document are accurate representations of the original documents submitted by the applicant.

Defects in the images include but are not limited to the items checked:

☐ BLACK BORDERS
☐ IMAGE CUT OFF AT TOP, BOTTOM OR SIDES
FADED TEXT OR DRAWING
☐ BLURRED OR ILLEGIBLE TEXT OR DRAWING
SKEWED/SLANTED IMAGES
COLOR OR BLACK AND WHITE PHOTOGRAPHS
☐ GRAY SCALE DOCUMENTS
☐ LINES OR MARKS ON ORIGINAL DOCUMENT
☐ REFERENCE(S) OR EXHIBIT(S) SUBMITTED ARE POOR QUALITY
Потнер.

IMAGES ARE BEST AVAILABLE COPY.

As rescanning these documents will not correct the image problems checked, please do not report these problems to the IFW Image Problem Mailbox.